

IN THE CLAIMS:

A status of all the claims of the present Application is presented below:

1. **(Currently Amended)** An audio/video (A/V) component networking system, comprising:

~~a source component~~ a plurality of source components each including A/V program data;
a first presentation device and a second presentation device; and

a sink component disposed remote from at least one of the plurality of source components, the sink component ~~source component and~~ adapted to display on the first presentation device a menu presenting the A/V program data available from each of the plurality of source components, the sink component adapted to control presentation of desired A/V program data selected from the menu of A/V program data and received from the corresponding source component on the second presentation device, the sink component adapted to transmit a command to the source component to control streaming of an A/V menu interface of the source component for display on the presentation device, the sink component configured to decode the A/V program data.

2. **(Canceled)**

3. **(Currently Amended)** The system of Claim 1, wherein the sink component is adapted to enable the a user to access the A/V menu interface associated with the source component corresponding to the desired A/V program data.

4. **(Currently Amended)** The system of Claim 1, wherein the sink component is adapted to perform a registration operation to register the source component corresponding to the desired A/V program data with the sink component.

5. **(Original)** The system of Claim 1, wherein the sink component is adapted to transfer the A/V program data via a plurality of different types of communication networks.

6. **(Currently Amended)** The system of Claim 1, wherein the sink component is adapted to perform a registration operation to register a format of the A/V program data available from the plurality of source components ~~source component~~ with the sink component.

7. **(Currently Amended)** The system of Claim 1, wherein the plurality of source components includes ~~source component is at least one of the group consisting of~~ a satellite receiver component, a digital versatile disk (DVD) component, a cable component, a computer, a video recorder component, and a compact disc (CD) component.

8. **(Currently Amended)** The system of Claim 1, wherein the sink component is adapted to perform a registration operation to register the first presentation device and the second presentation device with the sink component.

9. **(Currently Amended)** The system of Claim 1, wherein the sink component is adapted to filter the A/V program data available from the plurality of source components ~~source component~~ based on a format of the A/V program data.

10. **(Currently Amended)** The system of Claim 1, wherein the sink component is adapted to filter the A/V program data available from the plurality of source components ~~source component~~ based on a type of the second presentation device coupled to the sink component.

11. **(Original)** The system of Claim 1, wherein the sink component is adapted to control a menu function associated with the A/V program data.

12. **(Currently Amended)** The system of Claim 1, wherein the sink component is adapted to access an A/V program data library of the source component corresponding to the desired A/V program data.

13. **(Currently Amended)** An audio/video (A/V) component networking method, comprising:

displaying a menu presenting A/V program data available from each of a plurality of source components on a first presentation device; and

controlling, via a sink component, presentation of desired A/V program data selected from the menu and received from a remote the corresponding source component on a second presentation device, the sink component configured to decode the A/V program data received from the source component; and

controlling, via a command issued by the sink component to the source component, streaming of an A/V menu interface of the source component for presentation on the presentation device.

14. **(Currently Amended)** The method of Claim 13, further comprising performing a registration operation to register the source component corresponding to the desired A/V program data with the sink component.

15. **(Currently Amended)** The method of Claim 13, further comprising performing a registration operation to register a format of the A/V program data available from the plurality of source components ~~source component~~ with the sink component.

16. **(Canceled)**

17. **(Currently Amended)** The method of Claim 13, wherein further comprising transmitting ~~controlling~~, via a command issued by the sink component, ~~comprises transmitting~~ the a command to at least one of the group consisting of a satellite receiver component, a digital versatile disk (DVD) component, a cable component, a computer, and a compact disc (CD) component.

18. **(Currently Amended)** The method of Claim 13, further comprising accessing ~~[[the]]~~ an A/V menu interface of the source component associated with the desired A/V program data via the sink component.

19. **(Canceled)**

20. **(Currently Amended)** The method of Claim 13, further comprising filtering the A/V program data displayed in the menu on the first presentation device based on suitability of a format of the desired A/V program data for the second presentation device.

21. **(Currently Amended)** The method of Claim 13, further comprising filtering the A/V program data displayed in the menu on the presentation device based on a type of the second presentation device coupled to the sink component.

22. **(Currently Amended)** An audio/video (A/V) component networking system, comprising:

means for displaying a menu presenting A/V program data available from each of a plurality of source components on a first presentation device; and

means for controlling, via a sink component, presentation of desired A/V program data selected from the menu and received from a remote the corresponding source component on a second presentation device;

means for decoding, via the sink component, the A/V program data received from the source component; and

means for controlling, via a command issued by the sink component to the source component, streaming of an A/V menu interface from the source component for presentation on the presentation device.

23. **(Canceled)**

24. **(Canceled)**

25. **(Currently Amended)** The system Claim 22, further comprising means for registering the plurality of source component components with the sink component.

26. **(Currently Amended)** The system of Claim 22, further comprising means for filtering the desired A/V program data displayed on the presentation device based on a type of presentation device coupled to the sink component.

27. **(Currently Amended)** An audio/video (A/V) component networking method, comprising:

receiving, via a sink component, desired A/V program data selected from a menu presenting A/V program data available from each of a plurality of source components, the menu displayed on a first presentation device;

receiving, via ~~[[a]]~~ the sink component, the desired A/V program data from a remote corresponding source component; and source component;

decoding, via the sink component, the A/V program data received from the source component;

presenting the desired A/V program data on a second presentation device; and

providing, via the sink component, a real time, automatically updating, menu interface of the source component on the presentation device.

28. **(Currently Amended)** The method of Claim 27, further comprising:

receiving an input by the sink component corresponding ~~[[the]]~~ to a menu interface presented on the first presentation device; and

transferring the input to the source component corresponding to the desired A/V program data source component.